REVOLUPACK®

Industrial Tabletop Sealing Machines

BENEFITS & QUALITIES

- Tamper-resistant.
- Spill-free **Leak proof
- 98% less material being used than a traditional lid
- Easy to Assemble & Operate
- Hot Food
- Cold Foods

The Industrial Tabletop Sealing Machine ensures a fully watertight seal, securely holding both hot and cold liquids without any leaks. This provides a safe and reliable method for food delivery

ESSENTIAL ASPECTS

- **Easily customize the Paper Roll wih your logo.** (100 Rolls MOQ is required)
- **Reduce expenses with a cost-efficient solution.**
- **Seal between 150 and 200 containers per hour.**
- **1-Year Warranty (Terms & Conditions Apply)*.**
- **Alternative Purchase or Lease Options.**



The roll can be personalized with your logo.





Specifications and Applications of Rolls

1. Roll Lengths
- Kraft paper rolls: 300 meters
- Clear plastic rolls: 500 meters

2. Applications Based on Diameter
- Paper roll (diameter 150 mm): 1,500 applications
- Plastic roll (diameter 150 mm): 2,500 applications
- Paper roll (diameter 185 mm): 1,200 applications
- Plastic roll (diameter 185 mm): 2,000 applications

*This warranty covers only broken or missing pieces caused during shipping. To receive a replacement for damaged items, please provide photographs of the damage. For additional details, visit packnwood.com/terms-and-conditions.

**Ensure matching containers and rolls are properly placed on designated sealing machines for leakproof seals. Optimal performance is achieved by exclusively using Packnwood buckets and film/paper rolls. For further instructions, refer to the instruction manual. For technical support, contact us: Phone (USA): 1-201-604-3840 Email: packnseal@packnwood.com

GREAT FOR A VARIETY OF SECTORS

- Supermarket Deli Departments
- Restaurants & Ghost Kitchens
- Caterers & Private Chefs

EXCELLENT WAY TO PACKAGE



HOT SOUPS



COLD SALADS




DESSERT



TAKEOUT

FURTHER FEATURES & SPECIFICATIONS.



- User-friendly operating controls
- Rapid heating / 3 and 5 minutes (refer to the last page for instructions)
- Ensures airtight seals
- Adjustable sealing temperature
- Seals in under 3 seconds
- Includes approximately 5 ft. plug
- Suitable for sealing hot or cold foods in food-safe containers
- Save Money on Food Service Lids: A Cost-Effective Alternative to Traditional Lids
- A heavy-duty, durable steel structure ensures commercial quality and reliability by protecting against corrosion and rust
- New automated machines offer an easy-to-implement process that requires minimal training.
- Warranty – 1 year parts on the machines when sold.*
- Leasing options from 18 to 72 months that allows customers to benefit from an extended warranty for the length of the lease.
- Buyout option at the end of the lease term
- CE certified ** & UL certified ***

**The CE mark signifies that the manufacturer is responsible for ensuring that a product meets all relevant European health, safety, performance, and environmental standards. 'CE' stands for 'Conformité Européenne,' which is French for 'European Conformity.
*** UL certification indicates that a product meets globally recognized safety and quality standards set by Underwriters Laboratories (UL).



SKU: 294SCEL150AUS

Seals Packnwood containers of
5.9in / 150 mm Diameters

Specifications

L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 27kg = 59 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 300 CUPS/H
POWER: 300W
OUTPUT: 110V/60HZ

- Easily customize the Paper Roll wih your logo. (100 Rolls MOQ is required)
- Save money with a cost-effective solution
- Seal between 150 and 200 containers per hour
- 1-Year Warranty (Terms & Conditions Apply)*

Sold separately

KRAFT PAPER ROLL

25.5 cm x 300 m
Approx. 1,200 applications
SKU: 210RPK220



PET CLEAR ROLL

25 microns x 500 m
Approx. 2,100 applications
SKU: 210SCEL200P



Applicable Products:



WHITE CONTAINER

16oz D:5.9in H:1.8in 210PC480B
20oz D:5.9in H:2in 210PC580B
24oz D:5.9in H:2.4in 210PC750B
30oz D:5.9in H:3in 210PC1000B



BLACK/KRAFT CONTAINER

16oz D:5.9in H:1.77in 210PC480KN
24oz D:5.9in H:2.36in 210PC750KN
30oz D:5.9in H:2.95in 210PC1000KN



KRAFT CONTAINER

16oz D:5.9in H:1.8in 210PC481K
20oz D:5.9in H:2in 210PC581K
24oz D:5.9in H:2.4in 210PC751K
30oz D:5.9in H:3in 210PC1000K



GREEN CONTAINERS

16oz D:5.9in H:1.8in 210PC480V
20oz D:5.9in H:2in 210PC580V
24oz D:5.9in H:2.4in 210PC750V
30oz D:5.9in H:3in 210PC1000V



COMPOSTABLE BAMBOO FIBER CONTAINER

25oz D:5.9in H:2.4in 210PCPLA750
34oz D:5.9in H:3.1in 210PCPLA1000



COMPOSTABLE KRAFT CONTAINER **PLASTIC FREE**

16oz D:5.9in H:1.9in 210PCW480K
20oz D:5.9in H:2in 210PCW580K
24oz D:5.9in H:2.4in 210PCW750K
30oz D:5.9in H:3in 210PCW1000K



SKU: 294SCEL185AUS

Seals Packnwood containers of
7.2in / 185 mm Diameters

Specifications

L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 300 CUPS/H
POWER: 300W

- Easily customize the Paper Roll wih your logo. (100 Rolls MOQ is required)
- Save money with a cost-effective solution
- Seal between 150 and 200 containers per hour
- 1-Year Warranty (Terms & Conditions Apply)*

Sold separately

KRAFT PAPER ROLL

17 cm x 300 m
Approx.1,200 applications
SKU: 210RPK250



PET CLEAR ROLL

28 microns x 500 m
Approx. 2,100 applications
SKU: 210SCEL270P



Applicable Products:



COMPOSTABLE BAMBOO FIBER CONTAINER

44oz D:7.3in H:2.6in 210PCPLA1500



KRAFT CONTAINER

53oz D:7.3in H:3.2in 210PC1550K



COMPOSTABLE KRAFT CONTAINER **PLASTIC FREE**

40oz D:7.3in H:2.6in 210PCW1200K



INSTRUCTIONS FOR USE

HOW TO OPERATE

Once rollers are in place:

A Push the power button to the left.
B Adjust temperature settings based on the materials being used.
C Wait for the operating light to change from green to red (approximately 3-5 minutes).
D Slide the tray out and place a container with a matching diameter.
E Slide the tray in and let the machine work its magic
F Prevent overflow by keeping the container's radius dry for optimal sealing.
G After use, allow the machine to cool off for an hour.

Sealing Temperature for
PET Clear Roll = 200F
Sealing Temperature for
Paper Roll = 250F

*Exceeding the recommended heat may cause the paper to tear.





OPERATING INDICATORS
Green light: Heating up
Red light: Ready to use

TEMPERATURE SETTINGS

POWER BUTTON (ON/OFF)

WARNING! OUR SEALING MEACHINES ARE CAPABLE OF REACHING VERY HIGH TEMPERATURES. FOLLOW ALL SAFETY PROCEDURES TO AVOID INJURY.

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED



SKU:
294OPSEAL280AUS
L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

2 MOLDS OF YOUR CHOICE COME INCLUDED WITH THE MACHINE, ADDITIONAL MOLDS AVAILABLE FOR PURCHASE

Single-Slotted Molds



Sold separately

OPSEAL Sealing Mold
Dia:7.3 in 1pc 2940PMOLD185
Dia:7.71in 1pc 2940PMOLD196
Dia:5.90in 1pc 2940PMOLD150
Dia:4.48in 1pc 2940PMOLD114

Aluminum Slotted Molds



Sold separately

OPSEAL Sealing Mold
Dia:3.14/(*2)3.54in 1pc 2940PMOLD809090
Dia:(*2)3.54/ 3.77in 1pc 2940PMOLD909690
Dia:(*2)2.44/2.91in 1pc 2940PMOLD627462

Branding available
with a moq of 300,000 pcs.





Sold separately

Pre-Die Cut Kraft Paper Lids
Dia:4.84in 1000pcs 2100PC0123
Dia:6.14in 500pcs 2100PC0156
Dia:7.48in 500pcs 2100PC0190
Dia:8.03in 500pcs 2100PC0204

Pre-Cut White Paper Lids
Dia:4.72in 1000pcs 2100PC0120W
Dia:6.1in 500pcs 2100PC0155W
Dia:7.87in 500pcs 2100PC0200W

ENHANCE YOUR EXPERIENCE WITH OUR PACKNWOOD PRODUCTS.
From single-portion to multi-portion containers from 2oz (60ml) to 50oz (1478.68ml)



BUCKETS



BOWLS

SOUP CUPS



CUPS



PORTION CUPS

- Some molds come with two holes of the same diameter size

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED



SKU: 294OPSEAL280AUS

L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W



OPSEAL Sealing Mold
Dia:7.71in 1pc 294OPM0LD196
Dia:5.90in 1pc 294OPM0LD150
Dia:4.48in 1pc 294OPM0LD114



Sold separately

Opercover Kraft
Dia:8.03in 500pcs 2100PC0204
Dia:7.48in 500pcs 2100PC0190
Dia:6.14in 500pcs 2100PC0156
Dia:4.84in 1000pcs 2100PC0123

Opercover white
Dia:4.72in 1000pcs 2100PC0120W
Dia:6.1in 500pcs 2100PC0155W
Dia:7.87in 500pcs 2100PC0200W

The seal is straw-puncturable.

16oz Product for Diameter 6.85in

OPSEAL Sealing Mold
Dia:6.85in 1pc 294OPM0LD174

Opercover Kraft
Dia:7.48in 500pcs 2100PC0190

SUGAR CANE PLATE
Dia:7.09in 16oz 210APUB16
210APUB16F NO PFAS Added

16- 40oz Product for Diameter 5.90in

OPSEAL Sealing Mold
Dia:5.90in 1pc 294OPM0LD150

Opercover Kraft
Dia:6.14in 500pcs 2100PC0156

Opercover white
Dia:6.1in 500pcs 2100PC0155W



BLACK BUCKET
Dia:5.9in 16oz 210PC480KN
Dia:5.9in 24oz 210PC750KN
Dia:5.9in 30oz 210PC1000KN



KRAFT BUCKET PLASTIC FREE
Dia:5.9in 16oz 210PCW480K
Dia:5.9in 24oz 210PCW750K
Dia:5.9in 20oz 210PCW580K
Dia:5.9in 30oz 210PCW1000K

24-40oz Product for Diameter 7.71in

OPSEAL Sealing Mold
Dia:7.71in 1pc 294OPM0LD196

Opercover Kraft
Dia:8.03in 500pcs 2100PC0204

Opercover white
Dia:7.87in 500pcs 2100PC0200W



SUGAR CANE BOWL
Dia:7.7in 24oz 210APUPK24BR
210APUPK24BRF NO PFAS Added
Dia:7.7in 32oz 210APUPK32BR
210APUPK32BRF NO PFAS Added
Dia:7.7in 40oz 210APUPK40BR
210APUPK40BRF NO PFAS Added

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED

The seal is straw-puncturable.

8-24oz Product for Diameter 4.48in

OPSEAL Sealing Mold
Dia:4.48in 1pc 294OPM0LD114

Opercover Kraft
Dia:4.84in 1000pcs 2100PC0123

Opercover white
Dia:4.72in 1000pcs 2100PC0120W



NEWSPRINT CONTAINER
Dia:4.5in 12oz 210DELINEWS12
Dia:4.5in 16oz 210DELINEWS16
Dia:4.5in 20oz 210DELINEWS20
Dia:4.5in 24oz 210DELINEWS24



SOUP CUP PLASTIC FREE
Dia:4.5in 12oz 210SOW12
Dia:4.5in 16oz 210SOW16
Dia:4.5in 24oz 210SOW24



DELI KRAFT CONTAINER
Dia:4.49in 12oz 210DELIK12K
Dia:4.49in 16oz 210DELIK16K
Dia:4.49in 22oz 210DELIK22K



SUGARCANE
Dia:4.3in 12oz 210GPU350
210GPU350F NO PFAS Added
Dia:4.3in 16oz 210GPU500
210GPU500F NO PFAS Added

16-30oz Product for Diameter 5.90in

OPSEAL Sealing Mold
Dia:5.90in 1pc 294OPM0LD150

Opercover Kraft
Dia:6.14in 500pcs 2100PC0156

Opercover white
Dia:6.1in 500pcs 2100PC0155W



GREEN BUCKET
Dia:5.9in 16oz 210PC480V
Dia:5.9in 20oz 210PC580V
Dia:5.9in 24oz 210PC750V
Dia:5.9in 30oz 210PC1000V



KRAFT BUCKET
Dia:5.9in 16oz 210PC481K
Dia:5.9in 20oz 210PC581K
Dia:5.9in 24oz 210PC751K
Dia:5.9in 30oz 210PC1000K



WHITE BUCKET
Dia:5.8in 16oz 210PC480B
Dia:5.8in 20oz 210PC580B
Dia:5.8in 24oz 210PC750B
Dia:5.8in 30oz 210PC1000B

53oz Product for Diameter 7.30in

OPSEAL Sealing Mold
Dia:7.3in 1pc 294OPM0LD184

Opercover Kraft
D:8.03in 1000pcs 2100PC0204

Opercover white
D:7.87in 1000pcs 2100PC0200W



KRAFT BUCKET
Dia:7.3in 53oz 210PC1550K

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED



SKU: 294OPSEAL280AUS
L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

The seal is straw-puncturable.

1 4.5-16oz Product for Diameter 3.14in

OPSEAL Sealing Mold
Dia:3.14 1pc 2940PMOLD809090

Opercover Kraft
Dia:3.46in 1000pcs 2100PC088

Opercover white
Dia:3.23in 1000pcs 2100PC082W



KRAFT/BLACK PORTION CUP
Dia:3.15in 4.5oz 210POC151N
Dia:3in 5oz 210POB151

2 12-20oz Product for Diameter 3.54in

OPSEAL Sealing Mold
Dia:3.54in 1pc 2940PMOLD809090

Opercover Kraft
Dia:3.46in 1000pcs 2100PC088

Opercover white
Dia:3.23in 1000pcs 2100PC082W



ZEN CUP PLASTIC FREE
Dia:3.5in 12oz 210GCWBZEN12
Dia:3.5in 16oz 210GCWBZEN16
Dia:3.5in 20oz 210GCWBZEN20



BAMBOO FIBER CUP PLASTIC FREE
Dia:3.5in 12oz 210GCWBTF12
Dia:3.5in 16oz 210GCWBTF16
Dia:3.5in 20oz 210GCWBTF20

2 3.54in



1 3.14in
2 3.54in

Sold separately

OPSEAL Sealing Mold
Dia:3.14/3.54/3.54+in
1pc 2940PMOLD809090



Sold separately

Opercover Kraft
Dia:3.46in 1000pcs 2100PC088

Opercover white
Dia:3.23in 1000pcs 2100PC082W



RIPPLED CUP PLASTIC FREE
Dia:3.5in 10oz 210GCRWB10BG
Dia:3.5in 10oz 210GCRWB10N
Dia:3.5in 12oz 210GCRWB12BG
Dia:3.5in 12oz 210GCRWB12N
Dia:3.5in 16oz 210GCRWB16BG
Dia:3.5in 16oz 210GCRWB16N
Dia:3.5in 20oz 210GCRWB20N



DOUBLE WALL CUP PLASTIC FREE
Dia:3.5in 10oz 210GCDWB10K
Dia:3.5in 10oz 210GCDWB10N
Dia:3.5in 12oz 210GCDWB12N
Dia:3.5in 12oz 210GCDWB12K
Dia:3.5in 16oz 210GCDWB16K
Dia:3.5in 16oz 210GCDWB16N
Dia:3.5in 20oz 210GCDWB20K
Dia:3.5in 20oz 210GCDWB20N



SKU: 294OPSEAL280AUS
L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

The seal is straw-puncturable.

1 7-8oz Product for Diameter 3.54in

OPSEAL Sealing Mold
Dia:3.54in
1pc 2940PMOLD909690

Opercover Kraft
Dia:3.74in 1000pcs 2100PC095

Opercover white
Dia:3.78in 1000pcs 2100PC096W



BLACK PORTION CUPS
Dia:3.5in 7oz 210POC181N



KRAFT PORTION CUP
Dia:3.5in 7oz 210POB181



SOUP CUP PLASTIC FREE
Dia:3.5in 8oz 210SOW8



SUGARCANE
Dia:3.7in 8.5oz 210GPU240
210GPU240F



BLACK PORTION CUPS
Dia:3.5in 10oz 210POC320N



KRAFT/WHITE SOUP CUP
Dia:3.3in 8oz 210SOUPK8K
Dia:3.3in 8oz 210SOUP8
Dia:3.3in 12oz 210SOUPK13K
Dia:3.3in 12oz 210SOUP12

1 3.54in
2 3.77in



Sold separately

OPSEAL Sealing Mold
Dia:3.54/ 3.77/3.54+in
1pc 2940PMOLD909690



Sold separately

Opercover Kraft
Dia:3.74in 1000pcs 2100PC095

Opercover white
Dia:3.78in 1000pcs 2100PC096W

2 9-20oz Product for Diameter 3.77in

OPSEAL Sealing Mold
Dia:3.77in
1pc 2940PMOLD909690

Opercover Kraft
Dia:3.74in 1000pcs 2100PC095

Opercover white
Dia:3.78in 1000pcs 2100PC096W



BLACK PORTION CUPS
Dia:3.7in 9oz 210POC270N



KRAFT PORTION CUP
Dia:3.7in 9oz 210POB270



WHITE SOUP CUP
Dia:3.75in 20oz 210SOUP24



SKU: 294OPSEAL280AUS

L:39.6 x W:43.2 x H:74.9cm
L:15.6in W:17in H:29.5in
Weight: 19kg = 41 lbs
POWER SUPPLY: 110V/60HZ
OUTPUT: 400 CUPS/H
POWER: 300W

1 2.44in



1 2.44in 2 2.91in

Sold separately

OPSEAL Sealing Mold
Dia:2.44/2.91/2.44+in
1pc 294OPMOLD627462



Sold separately

Opercover Kraft
Dia:2.6in 1000pcs 210OPCO66
Dia:2.99in 1000pcs 210OPCO76

Opercover white
Dia:2.95in 1000pcs 210OPCO75W

The seal is straw-puncturable.

1 2-4oz Product for Diameter 2.44in

OPSEAL Sealing Mold
Dia:2.44in
1pc 294OPMOLD627462

Opercover Kraft
Dia:2.6in 1000pcs 210OPCO66

Opercover white
Dia:2.95in 1000pcs 210OPCO75W



SUGARCANE
Dia:2.1in 2oz 210GPU7
210GPU7F NO PFAS Added
210GPU7BRF NO PFAS Added



KRAFT/BLACK PORTION CUP
Dia:2.4in 2oz 210POC60N
Dia:2.4in 2.3oz 210POB61



KRAFT/BLACK PORTION CUP
Dia:2.9in 3oz 210POC81N
Dia:2.8in 3.3oz 210POB81
Dia:2.9in 4.2oz 210POC121N



ZEN CUP
Dia:2.4in 4oz 210GCWBZEN4
PLASTIC FREE
D:2.44in 4oz 210GCZEN46



BAMBOO FIBER CUP PLASTIC FREE
Dia:2.4in 4oz 210GCWBTF4



KRAFT / BLACK COMPOSTABLE RIPPLED PAPER CUPS PLASTIC FREE
4oz D:2.4in 210GCRWB4BG
4oz D:2.4in 210GCDWB4K



LEAF DESIGN PAPER COFFEE CUPS
4oz D:2.44in 210GCLEAF46

2 3-4.7oz Product for Diameter 2.91in

OPSEAL Sealing Mold
Dia:2.91in
1pc 294OPMOLD627462

Opercover Kraft
Dia:2.99in 1000pcs 210OPCO76

Opercover white
Dia:2.95in 1000pcs 210OPCO75W



KRAFT/BLACK PORTION CUPS
Dia:2.9in 3oz 210POC81N
Dia:2.8in 3.3oz 210POB81
Dia:2.9in 4.2oz 210POC121N



SUGARCANE
Dia:2.9in 4.7oz 210GPU140
210GPU140F NO PFAS Added
210GPU7BRF NO PFAS Added

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED

CLEANING THE MACHINE



CLEAN




DIRTY

1. First take out the film. Roll up the unused side so the bottom has no film left. Now, you can clean the heating plate.
2. Use a wet towel to wipe the heating plate. If you smell glue, keep rubbing to remove the residue. NOTE: Do not turn on the heat while cleaning. Wear gloves to stay safe.
3. If the residue is hard to remove with a towel, use a blade to gently scrape it off.

HOW TO USE THE MACHINE VIDEO



TEMPERATURE CONTROL PANEL





1. The red number indicates the actual tempurature.
2. The green number indicates the set tempurature.
3. Set Key, used to set and confirm tempurature.
4. Shift Key, used to jump position, setting the tempurature using ones, tenths, or hundredths place.
5. Decrease Key, used to decrease the digit of the setting tempurature.
6. Increase Key, used to increase the digit of the setting tempurature.

ECO-FRIENDLY COST-EFFECTIVE LITTLE ASSEMBLY REQUIRED

Matter	Material	Freezer	Fridge	Microwave	Oven (Base)	Recyclable	Compostable	Hot	Cold
PLASTIC	PET	Yes	Yes	No	No	Yes	No	Yes	Yes
	PP & Wheat	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	PP	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	PS	Yes	Yes	No	No	Yes	No	Yes	Yes
NATURAL	Cardboard	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	PE Laminated	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	Laminated CPLA	Yes	Yes	No	No	Yes	Yes	Yes	Yes
	Cardboard Cooking Mold	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Paper	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	Liner Paper	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Wood	No	Yes	Yes	No	Yes	Yes	Yes	Yes
	Wood fiber	No	Yes	Yes	No	Yes	Yes	Yes	Yes
	Wooden Leaf	No	Yes	No	No	No	Yes	Yes	Yes
	Wooden Baking Mold	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Palm Leaf	No	Yes	No	No	No	Yes	Yes	Yes
	Bamboo	No	Yes	Yes	No	Yes	Yes	Yes	Yes
	Bamboo Fiber	No	Yes	Yes	No	Yes	Yes	Yes	Yes
	Coconut	Yes	Yes	No	No	Yes	Yes	Yes	Yes
	Sugarcane Pulp	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
	PLA	Yes	Yes	No	No	Yes	Yes	Yes	Yes
	Cotton	Yes	Yes	No	No	Yes	No	Yes	Yes
	Jute	Yes	Yes	No	No	Yes	No	No	Yes
	Waterbase Coating	Yes	Yes	No	No	Yes	Yes	Yes	Yes
	Reed	Yes	Yes	No	No	Yes	Yes	No	Yes
	Coffee Grounds PLA Blends	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes
	(CPLA) Crystallized Cornstarch	Yes	Yes	Yes	No	No	Yes	Yes	Yes
REUSABLE	Stainless Steel	Yes	Yes	No	No	Yes	No	Yes	Yes
	Glass	Yes	Yes	Yes	No	Yes	No	Yes	Yes
	Porcelain	No	Yes	No	Yes	No	No	Yes	Yes
	Aluminium	Yes	Yes	No	Yes	Yes	No	Yes	Yes
	Enamel	Yes	Yes	No	Yes	Yes	No	Yes	Yes
	Silicone	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Metal	Yes	Yes	No	No	Yes	No	Yes	Yes

Customization with your logo

Personalize your packaging with ease—here's how it works, start to finish



Join the eco-revolution with PacknWood—your partner in stylish, sustainable food service solutions. We offer premium compostable tableware made from renewable materials like sugarcane and bamboo, designed for both function and flair. Our trusted manufacturers share our commitment to reducing waste and supporting carbon-neutral practices. Whether you're a café, restaurant, or caterer, PacknWood helps your brand stand out with products that reflect your values. Sustainability isn't a trend—it's your standard.

1 PDF

Choose your product and customize it with colors, logos, and more. Need help? We offer mockups or can use your design.

2

Place your order with our minimum qty. Pay your deposit. Lead time will take 16-20 Weeks

3

We bring your ideas to life by creating high-quality, custom-made products tailored to your brand and vision.

4

Complete your remaining balance to proceed with your order.

5

Once your order is finalized, your products will be shipped to your preferred location with tracking provided for peace of mind.

6

Your brand is thriving with smart savings and full eco-responsibility—proof that sustainability and success go hand in hand.

